

## Table of contents

---

<b>Foreword</b> .....	<b>10</b>
<b>1 Scope</b> .....	<b>11</b>
<b>2 Normative references</b> .....	<b>12</b>
<b>3 Terms, definitions and abbreviated terms</b> .....	<b>13</b>
3.1 Terms from other standards.....	13
3.2 Terms specific to the present standard .....	13
3.3 Abbreviated terms.....	14
3.4 Conventions.....	15
3.4.1 Bit 0, bit 1, bit N-1.....	15
3.4.2 Most significant bit.....	15
3.4.3 Use of capitals for the names of data structures and fields.....	15
<b>4 Overview</b> .....	<b>16</b>
4.1 Presentation .....	16
4.2 Protocol profiles.....	16
4.3 Segmentation sublayer .....	17
4.4 Transfer sublayer.....	18
4.5 Synchronization and channel coding sublayer .....	18
4.6 Physical layer .....	18
4.7 Virtual channels .....	19
<b>5 Segmentation sublayer</b> .....	<b>20</b>
5.1 Overview .....	20
5.2 TC Segment .....	21
5.2.1 General.....	21
5.2.2 Segment Header.....	22
5.2.3 Segment Data Field .....	23
5.3 Transfer notification .....	23
5.3.1 Overview.....	23
5.3.2 Requirements.....	24
5.4 Blocking of packets.....	25

5.4.1	Overview .....	25
5.4.2	Virtual channels where TC Segments are used.....	25
5.4.3	Virtual channels where TC Segments are not used.....	26
5.4.4	Packet properties .....	26
5.4.5	Blocking function .....	27
5.4.6	Deblocking function.....	27
5.5	Segmentation .....	27
5.5.1	Overview.....	27
5.5.2	Segmenting function .....	28
5.5.3	Reassembly function.....	28
5.5.4	Packet assembly controller .....	29
5.6	MAP multiplexing .....	32
<b>6</b>	<b>Transfer sublayer .....</b>	<b>33</b>
6.1	Overview .....	33
6.1.1	Data structures in the transfer sublayer.....	33
6.1.2	Procedures in the transfer sublayer.....	33
6.2	TC Transfer Frame definition .....	35
6.2.1	General.....	35
6.2.2	Transfer Frame Primary Header.....	36
6.2.3	Transfer Frame Data Field .....	40
6.2.4	Frame Error Control Field.....	41
6.3	CLCW definition.....	43
6.3.1	General.....	43
6.3.2	Control Word Type .....	45
6.3.3	CLCW Version Number.....	45
6.3.4	Status Field .....	45
6.3.5	COP in Effect .....	45
6.3.6	Virtual Channel Identification.....	45
6.3.7	Reserved Spare .....	46
6.3.8	No RF Available Flag .....	46
6.3.9	No Bit Lock Flag.....	47
6.3.10	Lockout Flag .....	47
6.3.11	Wait Flag.....	48
6.3.12	Retransmit Flag.....	48
6.3.13	FARM-B Counter .....	48
6.3.14	Reserved Spare .....	48
6.3.15	Report Value .....	49

6.4	Frame header procedure .....	49
6.5	Frame error control procedure at the sending end .....	49
6.6	Frame delimiting and fill removal procedure.....	49
6.6.1	Overview.....	49
6.6.2	Actions .....	50
6.7	Frame error control procedure at the receiving end .....	50
6.8	Frame header validation procedure .....	50
6.8.1	Overview.....	50
6.8.2	Actions .....	51
6.9	Virtual channel multiplexing .....	51
6.9.1	Overview.....	51
6.9.2	Multiplexing mechanism.....	52
6.9.3	Demultiplexing .....	52
<b>7</b>	<b>COP-1.....</b>	<b>53</b>
7.1	Overview .....	53
7.1.1	Scope.....	53
7.1.2	Interfaces .....	53
7.1.3	Retransmission protocol.....	53
7.1.4	Frames.....	54
7.1.5	Services .....	54
7.1.6	Protocol machine .....	56
7.2	Internal variables .....	56
7.2.1	Overview.....	56
7.2.2	FOP-1 Variables .....	57
7.2.3	FARM-1 variables .....	64
7.3	Features of COP-1 interfaces .....	69
7.3.1	Overview.....	69
7.3.2	Parameters .....	70
7.4	Upper interface of COP-1 at the sending end .....	70
7.4.1	Overview.....	70
7.4.2	Sequence-controlled service management interface .....	71
7.4.3	Sequence-controlled service data transfer interface.....	77
7.4.4	Expedited service data transfer interface .....	80
7.5	Upper interface of COP-1 at the receiving end.....	82
7.5.1	Overview.....	82
7.5.2	Buffer management mechanism.....	82
7.5.3	The wait system .....	82

7.5.4	Single back-end buffer .....	83
7.5.5	FDU Arrived Indication .....	84
7.6	Lower interface of COP-1 at the sending end .....	84
7.6.1	Overview .....	84
7.6.2	Transmit Request for Frame signal .....	85
7.6.3	Abort request signal .....	85
7.6.4	Response signal .....	86
7.7	Lower interface of COP-1 at the receiving end.....	86
7.7.1	Overview .....	86
7.7.2	Valid Frame Arrived Indication .....	87
7.8	Format of COP-1 control commands .....	87
7.8.1	Overview .....	87
7.8.2	General .....	87
7.8.3	Unlock.....	87
7.8.4	Set V(R).....	88
7.9	Actions.....	88
7.9.1	Format of the state tables.....	88
7.9.2	FOP-1 .....	89
7.9.3	FARM-1 .....	96
<b>8</b>	<b>Synchronization and channel coding sublayer .....</b>	<b>111</b>
8.1	Overview .....	111
8.2	BCH codeblock.....	111
8.2.1	General.....	111
8.2.2	Information.....	112
8.2.3	Error Control .....	112
8.3	Communications link transmission unit (CLTU).....	113
8.3.1	General.....	113
8.3.2	Start Sequence .....	113
8.3.3	Encoded Data .....	114
8.3.4	Tail Sequence .....	114
8.4	Randomization procedure.....	115
8.4.1	Overview.....	115
8.4.2	General.....	115
8.4.3	Random sequence.....	115
8.4.4	Application of the randomizer .....	116
8.5	BCH codeblock encoding procedure.....	116
8.6	Fill bits .....	117

8.6.1	Overview.....	117
8.6.2	General.....	117
8.7	Channel logic at the receiving end.....	118
8.8	BCH codeblock decoding procedures.....	119
8.8.1	Overview.....	119
8.8.2	General.....	120
<b>9</b>	<b>Physical layer.....</b>	<b>121</b>
9.1	Overview.....	121
9.2	Physical layer data structures.....	121
9.2.1	Acquisition sequence.....	121
9.2.2	CLTU.....	122
9.2.3	Idle sequence.....	122
9.3	Physical layer procedures.....	122
9.3.1	Overview.....	122
9.3.2	Carrier modulation modes.....	122
9.3.3	Telecommand session.....	124
9.3.4	Physical layer operation procedure (PLOP).....	124
<b>Annex A</b>	<b>(informative) Frame error control.....</b>	<b>127</b>
A.1	Overview.....	127
A.2	Encoding.....	127
A.3	Decoding.....	128
<b>Annex B</b>	<b>(informative) Changes from ESA-PSS-04-107.....</b>	<b>129</b>
B.1	Overview.....	129
B.2	Technical changes.....	129
<b>Annex C</b>	<b>(informative) Differences from CCSDS recommendations.....</b>	<b>132</b>
C.1	Overview.....	132
C.2	Differences.....	132
<b>Annex D</b>	<b>(informative) Performance issues.....</b>	<b>135</b>
D.1	Introduction.....	135
D.2	Performance components.....	136
D.3	Factors affecting frame rejection rate.....	136
D.3.1	Bit synchronization factor.....	136
D.3.2	CLTU Start Sequence factors.....	137
D.3.3	BCH Codeblock Factor.....	138
D.3.4	Tail Sequence factor.....	140

D.3.5	Frames and CLTUs.....	141
D.4	Factors affecting frame undetected error rate .....	143
<b>Annex E (informative)</b>	<b>Mission configuration parameters .....</b>	<b>147</b>
E.1	Introduction.....	147
E.2	Parameters of a physical channel .....	147
E.2.1	Overview.....	147
E.2.2	Fixed parameters .....	147
E.2.3	Length of the acquisition sequence .....	147
E.2.4	Physical layer operation procedure .....	148
E.2.5	Transfer Frame Version Number.....	148
E.2.6	Maximum length of a TC Transfer Frame.....	148
E.2.7	Virtual channels .....	148
E.2.8	Use of the expedited service .....	148
E.2.9	Multiplexing parameters .....	148
E.3	Parameters of a virtual channel .....	149
E.3.1	Overview.....	149
E.3.2	Spacecraft Identifier and Virtual Channel Identifier.....	149
E.3.3	Maximum length of a TC Transfer Frame.....	149
E.3.4	FOP-1 parameters .....	149
E.3.5	CLCW reporting rate .....	149
E.3.6	Status Field of CLCW.....	149
E.3.7	Fixed parameters .....	149
E.3.8	FARM-1 sliding window parameters.....	150
E.3.9	Use of TC Segments.....	150
E.3.10	Parameters of a virtual channel with TC Segments .....	150
E.3.11	Parameters of a virtual channel without TC Segments .....	150
E.4	Parameters of a MAP .....	151
E.4.1	Overview.....	151
E.4.2	MAP Identifier .....	151
E.4.3	Use of the blocking function .....	151
E.4.4	Segmentation function .....	151
E.5	Parameters for packet types .....	152
E.5.1	Overview.....	152
E.5.2	Valid packet version numbers .....	152
<b>Bibliography.....</b>		<b>153</b>

**Figures**

Figure 3-1: numbering convention ..... 15

Figure 4-1: Layers and sublayers specified in this Standard ..... 17

Figure 5-1: TC Segment ..... 21

Figure 5-2: Example of blocking of packets ..... 25

Figure 5-3: Example of segmentation of a user data unit ..... 28

Figure 6-1: TC Transfer Frame format ..... 36

Figure 6-2: Format of a CLCW ..... 44

Figure 7-1: COP-1 sequence variables ..... 55

Figure 7-2: FARM sliding window concept ..... 67

Figure 7-3: State table format ..... 89

Figure 7-4: Actions for look for directive ..... 94

Figure 7-5: Actions for look for FDU ..... 95

Figure 7-6: FOP-1 state transitions for main protocol ..... 105

Figure 7-7: FOP-1 state transitions for initialisation protocol ..... 106

Figure 7-8: FOP-1 state transitions ..... 107

Figure 7-9: FARM-1 state transitions ..... 110

Figure 8-1: BCH codeblock format ..... 112

Figure 8-2: Format of a CLTU ..... 113

Figure 8-3: Bit pattern of the Start Sequence ..... 113

Figure 8-4: Bit transition generator logic diagram ..... 116

Figure 8-5: (63,56) Modified BCH code generator ..... 117

Figure 8-6: State diagram for the channel (receiving end) ..... 119

Figure 9-1: Sequence of CMMs comprising PLOP-2 ..... 125

Figure 9-2: Sequence of CMMs comprising PLOP-1 ..... 126

  

Figure A-1 : Encoder ..... 127

Figure A-2 : Decoder ..... 128

Figure D-1 : Frame rejection probability,  $P_{FY}$ , in SEC mode using PLOP-2 ..... 143

Figure D-2 : Probability of undetected error in a frame in SEC mode ..... 146

**Tables**

Table 6-1: Sending-end procedures in the transfer sublayer ..... 34

Table 6-2: Receiving-end procedures in the transfer sublayer ..... 35

Table 6-3: Combined Bypass Flag and Control Command Flag ..... 38

Table 6-4: Fields in a CLCW ..... 43

Table 7-1: COP-1 interfaces ..... 70

Table 7-2: Signals for management interface .....	71
Table 7-3: FOP-1 directive types and qualifiers .....	73
Table 7-4: Reasons for an Alert notification .....	75
Table 7-5: Signals for sequence-controlled service data transfer interface .....	78
Table 7-6: Signals for expedited service data transfer interface.....	80
Table 7-7: Signals for the interface of FOP-1 to the lower procedures.....	84
Table 7-8: FOP-1 state table .....	98
Table 7-9: FARM-1 state table.....	108
Table 8-1: Channel states (receiving end) .....	118
Table 8-2: Channel events (receiving end) .....	119
Table 9-1: Carrier modulation modes .....	123
Table B-1 : Field name differences from ESA-PSS-04-107 .....	131
Table B-2 : Names with “Communications” or “Command” .....	131
Table C-1 : Name differences from CCSDS recommendations .....	134
Table D-1 : Probability of not recognizing the Start Sequence .....	138
Table D-2 : Meaning of decoding values .....	138
Table D-3 : Decoding cases in SEC mode.....	138
Table D-4 : Probability of codeblock rejection for a CLTU during decoding in SEC mode...	140
Table D-5 : Parity and Syndrome when Tail Sequence has errors.....	141
Table D-6 : Probability of missing the Tail Sequence.....	141
Table D-7 : Frame rejection probability, $P_{FY}$ (PLOP-2).....	142
Table D-8 : Sources of undetected errors (SEC mode).....	143
Table D-9 : Probability of $n$ errors occurring in a codeblock.....	144
Table D-10 : Error detection performance when decoding a codeblock in SEC mode .....	144
Table D-11 : Probability of undetected error in a frame, SEC mode, with CRC .....	145